
Chapter 11 - Integration

Table of Contents

Indefinite Integrals - the <code>int</code> command	1
With Symbolic Functions	1
Where's the +C?	1
Exact Definite Integrals - the <code>int</code> command	1
Dealing with Multiple Variables	2
Approximating Integrals	2

Integration can be indefinite or definite. Matlab can do both. If the definite integration is too tricky or impossible then Matlab can approximate.

Indefinite Integrals - the `int` command

Suppose you'd like to integrate the function $7/(1+x^2)$. Hmm... that reminds me of something I've seen before, but I can't recall the formula... Something about an inverse trig function... Ah, let's just ask Matlab:

```
int(7/(1 + x^2))
```

```
ans =  
7*atan(x)
```

That's it! Matlab uses `atan` for arctangent which is the same as inverse tangent.

With Symbolic Functions

We can do the same with symbolic functions:

```
syms f(x);  
f(x) = x^3-x*log(x);  
int(f(x))  
  
ans =  
(x^2*(x^2 - 2*log(x) + 1))/4
```

Where's the +C?

Matlab doesn't put the +C, meaning you just have to know yourself.

Exact Definite Integrals - the `int` command

Suppose we'd like to compute the area under the curve $f(x) = x^3 + \ln x$ over the interval where x is between 5 and 10. Just pass those end-points to the `int` command as two additional parameters:

```
int(x^3+log(x),5,10)
```

```
ans =
```

```
5*log(20) + 9355/4
```

Dealing with Multiple Variables

Just like with differentiation if there's an expression with many variables we might want to take the integral with respect to some other one.

Matlab does the obvious thing if no variable is given, paying attention to the familiar variable:

```
syms x y
int(x^2*y^3)

ans =
(x^3*y^3)/3

int(x^2*y^3,5,6)

ans =
(91*y^3)/3
```

We can tell it to integrate with respect to another variable as follows:

```
int(x^2*y^3,y)

ans =
(x^2*y^4)/4

int(x^2*y^3,y,5,6)

ans =
(671*x^2)/4
```

Approximating Integrals

We've seen how the `int` command can be used to find definite integrals. You should know that `int` does its job using *symbolic* integration techniques, similar to the ones you would use if you were integrating something with paper and pencil in a first semester calculus course. Unfortunately, there are many functions that are difficult or impossible to integrate this way since no nice antiderivative exists. For example:

```
int(sqrt(sin(x)),1,2)

ans =
2*ellipticE(pi/4 - 1/2, 2) - 2*ellipticE(pi/4 - 1, 2)
```

That answer is not really what we were after - We just wanted a number! What in the world is `ellipticE` anyway?!

Matlab has a command for approximating integrals but we'll need to wait until later when we've learned about function handles.

Published with MATLAB® R2016b