Stat 400, Lecture 20
Random Samples (§5.3)

One of the most important concepts in statistics is that of a "random sample." The definition of a random sample is rather abstract. However it is critical to understand the idea behind the definition, so we will spend an entire lecture motivating the definition. We will do this by giving three motivating examples: polling for elections, testing the lifetime of a Gateway computer, and picking a sequence of random numbers.

First Motivating Example

We recall that a random variable X is a Bernoulli random variable if X takes exactly two values 0 and 1 such that

$$P(X=1) = p$$
$$P(X=0) = q \qquad q = 1-p$$

In this case we write $X \sim b(1,p)$ (the Bernoulli distribution is a special case of the binomial distribution).

We define a Bernoulli random variable $X_{election}$ as follows.

Choose a random voter in the U.S. Ask him (her) if he (she) intends to vote for Gore in the next election. Record 1 if yes and 0 if no. So $X_{election}$ takes.

values 1 and 0 with some definite (but unknown to us) probabilities p and q.

The $64,000 question

What is p?

How do you answer this question?

Take a poll — in the language of statistics we say one is "taking a sample from a $b(1,p)$ distribution where p is unknown."

If we poll n people we arrive at a sequence of 0's and 1's

$$X_1, X_2, \ldots, X_n$$

We can represent this schematically by

Population of the U.S.	$\xrightarrow{\text{poll}}$	$X_1, X_2, \ldots, X_n$

We think of $x_1, x_2, \ldots, x_n$ as the results after the poll is taken. We now introduce <u>random variables</u> $X_1, X_2, \ldots, X_n$ representing the potential outcomes <u>before the poll is taken</u> — we assume we have decided how many people we will talk to.

Thus taking a poll assigns definite values $x_1, x_2, \ldots, x_n$ to the random variables $X_1, X_2, \ldots, X_n$. We may schematically represent the situation before the poll is taken by

$$\boxed{\begin{array}{c}\text{Population}\\\text{of}\\\text{the U.S.}\end{array}} \dashrightarrow X_1, X_2, \ldots, X_n$$

The dotted arrow means we have not yet performed the poll.

It is critical to observe that $X_1, X_2, \ldots, X_n$ are <u>random</u> variables

$(x_1, x_2, \ldots, x_n$ are ordinary variables).

They take values 0 and 1 with probabilities q and p respectively.

So the X_i's have the same probability distribution as the "underlying" (i.e. the case we are sampling from) random variable $X_{election}$.

(if the poll is constructed properly)

Note also the random variables $X_1, X_2, \ldots, X_n$ are independent. So $X_1, X_2, \ldots, X_n$ are independent and "identically distributed." We say $X_1, X_2, \ldots, X_n$ is a random sample from a $Bin(1,p)$ distribution.

We conclude this example with a formal mathematical definition of $X_1, X_2, \ldots, X_n$. The sample space S of the above poll ("experiment") is the set of all n-tuples $(x_1, x_2, \ldots, x_n)$ of 0's and 1's. It is the same as the sample space for n flips of a weighted coin. There is a probability function P defined on S. For example,

$$P(0, 0, 0) = q^n$$

The random variables $X_1, X_2, \ldots, X_n$ are defined to be functions on S defined by

$$X_i(x_1, \ldots, x_n) = x_i$$

So they are random variables — a random variable is a function on a probability space.

Suppose now we wish to study the expected life of a Gateway computer. So in this case we would be studying the random variable $X_{Gateway}$ which is defined as follows.

$(X_{Gateway} = t)$ means that a randomly selected Gateway computer fails at time t. A good model for the distribution of $X_{Gateway}$ is an exponential distribution with a definite but unknown mean $\mu = \frac{1}{\lambda}$.

## The New $ 64,000 Question

what is μ?

How do you answer this question?

You get hold of a number of

Gateway computers and run them. 8
until they break down. You record
these results. We may represent the
results schematically by

| Gateway computers | $\longrightarrow$ $X_1, X_2, \ldots, X_n$ |

Once again, we introduce variables
$X_1, X_2, \ldots, X_n$ (after we have decided
how many computers we are going to
look at) before we actually look at
computers. So schematically we have
the "before picture"

| Gateway computers | $---\rightarrow$ $X_1, X_2, \ldots, X_n$ |

After we test n computers we assign
definite values to $X_1, X_2, \ldots, X_n$.

Again, $X_1, X_2, ..., X_n$ are random variables with the same probability distribution as the underlying random variable $X_{Gateway}$.

Assuming that our test is correctly designed, $X_1, X_2, ..., X_n$ will be independent. We say $X_1, X_2, ..., X_n$ is a random sample from an exponential distribution with parameter.

Once again we have a formal mathematical definition. The sample space S of the experiment is now the set of all n-tuples $(x_1, x_2, ..., x_n)$ of positive real numbers, the possible break-down times for the n-computer to be tested. S is a probability space (but not discrete). We define

The random variables
$X_1, X_2, \ldots, X_n$ as functions on S
as before:

$$X_i (x_1, \ldots, x_n) = x_i$$

Third Motivating Example

Our third motivating example
will be the experiment of "choosing
n random numbers from the
interval $[0,1]$." We have seen that
a good model for "choosing a
random number from $[0,1]$." is the
uniform distribution $U(0,1)$.
Precisely we let

X = a random number in $[0,1]$.

Then $P(a \leq X \leq b) = b-a$

(assuming $0 \leq a \leq b \leq 1$)

$$P(X \text{ is in here}) = b - a$$

We can repeat the experiment n times. After we actually perform the experiment n times, we obtain n definite numbers $x_1, x_2, \ldots, x_n$ in $[0, 1]$.

$$\boxed{[0,1]} \xrightarrow{\text{make choices}} x_1, x_2, \ldots, x_n$$

Before we make the choices we have variables $X_1, X_2, \ldots, X_n$ representing the first, second, ..., n-th choice. Schematically we have

$$\boxed{[0,1]} \dashrightarrow X_1, X_2, \ldots, X_n$$

We note that $X_1, X_2, \ldots, X_n$ all have $U(0,1)$ - distribution and are all independent. We say $X_1, X_2, \ldots, X_n$ is a random sample from $U(0,1)$.

Once again we have the formal mathematical definition

$$S = \{ (x_1, x_2, \ldots, x_n) : x_i \in [0,1] \}$$

$$X_i : S \longrightarrow [0,1] \text{ where}$$

$$X_i (x_1, x_2, \ldots, x_n) = x_i = \text{" i-th choice"}$$

So X_i is a $U(0,1)$ - random variable

Hopefully we have motivated:

Definition (pg. 205)

A random sample of size n is a sequence $X_1, X_2, \ldots, X_n$ of random

variables such that

(i). $X_1, X_2, \ldots, X_n$ are independent

    AND

(ii) $X_1, X_2, \ldots, X_n$ all have the same probability distribution.

The common probability distribution will be called the "underlying distribution" — it is the one we are sampling from.

Def

A statistic is a random variable that is a function (i.e. combination) of $X_1, X_2, \ldots, X_n$.

The following statistics will be very important to us.

(1) The sample total T_0 defined by

$$T_0 = X_1 + X_2 + \ldots + X_n$$

(2) The sample mean

$$\bar{X} = \frac{1}{n} T_0 \equiv \frac{X_1 + X_2 + \cdots + X_n}{n}$$

(3) The sample variance

$$S^2 = \frac{1}{n-1} \sum_{i=1}^{n} (X_i - \bar{X})^2$$